IN THE CLAIMS:

Please amend Claims 1, 6, 11 and 16 as shown below.

 (Currently amended) A method of utilizing a software product, said software product including data on a fixed media, said method comprising the steps of:

determining whether the data on the fixed media contains outdated or errored data;

downloading an updated or non-errored network-based data to replace the outdated or errored data, if it is determined that the data on the fixed media contains outdated or errored data;

utilizing said data on said fixed media; and

product is in use for temporarily replacing the outdated or errored data on said fixed media with the downloaded network-based data such that the outdated or errored data on the fixed media is not replaced but the outdated or errored data or errored data being used is replaced.

- (Original) The method of Claim 1 wherein the networkbased data is downloaded for use only when said data is about to be utilized.
- (Original) The method of Claim 2 further comprising the step of determining whether said software product AUS920010864US1

Page 3 of 12

contains outdated or errored data upon running said software product.

- 4. (Original) The method of Claim 3 wherein the determining step includes the step of accessing said network to download tags of said outdated or errored data if there is outdated or errored data.
- 5. (Original) The method of Claim 4 wherein when an outdated or errored data is going to be used, a tag corresponding to said data is used to download the network-based data to temporarily replace the outdated or errored data.
- 6. (Currently amended) A computer program product on a medium for utilizing a software product, said software product including data on a fixed media, said computer program product comprising:

code means for determining whether the data on the fixed media contains outdated or errored data;

code means for downloading an updated or non-errored network-based data to replace the outdated or errored data, if it is determined that the data on the fixed media contains outdated or errored data;

code means for utilizing said data on said fixed media; and

AUS920010864US1

Page 4 of 12

> code means for utilizing a network-based data while the software product is in use for temporarily replacing the outdated or errored data on said fixed modia with the downloaded network-based data such that the outdated or errored data on the fixed media is not replaced but the outdated or errored data being used is replaced.

- (Original) The computer program product of Claim 6 7. wherein the network-based data is downloaded for use only when said data is about to be utilized.
- (Original) The computer program product of Claim 7 8. further comprising code means for determining whether said software product contains outdated or errored data upon running said software product.
- (Original) The computer program product of Claim 8 9. wherein the determining code means, includes code means for accessing said network to download tags of said outdated or errored data if there is outdated or errored data.
- (Original) The computer program product of Claim 9 10. wherein when an outdated or errored data is going to be used, a tag corresponding to said data is used to download the network-based data to temporarily replace the outdated or errored data.

AUS920010864US1

Page 5 of 12

11. (Currently amended) An apparatus for utilizing a software product, said software product including data on a fixed media, said apparatus comprising:

means for determining whether the data on the fixed media contains outdated or errored data;

means for downloading an updated or non-errored network-based data to replace the outdated or errored data, if it is determined that the data on the fixed media contains outdated or errored data;

means for utilizing said data on said fixed media; and

means for utilizing a network based data while the software product is in use for temporarily replacing the outdated or errored data on said fixed media with the downloaded network-based data such that the outdated or errored data on the fixed media is not replaced but the outdated or errored data being used is replaced.

- 12. (Original) The apparatus of Claim 11 wherein the network-based data is downloaded for use only when said data is about to be utilized.
- 13. (Original) The apparatus of Claim 12 further comprising means for determining whether said software product contains outdated or errored data upon running said software product.

AUS920010864U\$1

Page 6 of 12

- 14. (Original) The apparatus of Claim 13 wherein the determining means includes means for accessing said network to download tags of said outdated or errored data if there is outdated or errored data.
- 15. (Original) The apparatus of Claim 14 wherein when an outdated or errored data is going to be used, a tag corresponding to said data is used to download the network-based data to temporarily replace the outdated or errored data.
- 16. (Currently amended) A computer system for utilizing a software product, said software product including data on a fixed media, said computer system comprising:
 - a memory device for storing data; and
 - stored data for to determine whether the data on the fixed media contains outdated or errored data, to download an updated or non-errored network-based data to replace the outdated or errored data, if it is determined that the data on the fixed media contains outdated or errored data, to utilize utilizing said data on said fixed media and to replace utilizing a network-based data while the software product is in use for temporarily the outdated or errored data en eaid fixed media with the downloaded network-based data such that the outdated or errored data on the

AUS920010864US1

> fixed media is not replaced but the outdated or errored data being used is replaced.

- (Original) The computer system of Claim 16 wherein the 17. network-based data is downloaded for use only when said data is about to be utilized.
- (Original) The computer system of Claim 17 wherein 18. said stored data for determining whether said software product contains outdated or errored data upon running said software product.
- 19. (Original) The computer system of Claim 18 wherein determining whether said software product contains outdated or errored data code means includes accessing said network to download tags of said outdated or errored data if there is outdated or errored data.
- (Original) The computer system of Claim 19 wherein 20. when an outdated or errored data is going to be used, a tag corresponding to said data is used to download the network-based data to temporarily replace the outdated or errored data.

AUS920010864US1